



PCT/EP 00 / 06119

EPC - DG 1  
17 07. 2000

63 REC'D 31 AUG 2000  
The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

**PRIORITY DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH  
RULE 17.1(a) OR (b)

4


X

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated: 4 July 2000

BEST AVAILABLE COPY

This Page Blank (uspto)

---

---


05JUL99 E459522-1 000068  
P01/7700 0.00 - 9915581.4

The Patent Office

Cardiff Road  
Newport  
Gwent NP9 1RH

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



1. Your reference

91630/KCS/DG

2. Patent application number

(The Patent Office will fill in this part)

02 JUL 1999

**9915581.4**

3. Full name, address and postcode of the or of each applicant (underline all surnames)

NOKIA TELECOMMUNICATIONS OY  
KEILALAH DENTIE 4  
02150 ESPOO  
FINLAND

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

FINLAND

6203193006

4. Title of the invention

A TERMINAL FOR USE WITH AN INFORMATION NETWORK

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

PAGE WHITE & FARRER  
54 DOUGHTY STREET  
LONDON  
WC1N 2LS

Patents ADP number (if you know it)

1255003

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

**Patents Form 1/77**

9. Enter the number of sheets for any of the following items you are filing with this form.  
Do not count copies of the same document

|                                  |    |
|----------------------------------|----|
| Continuation sheets of this form | -  |
| Description                      | 15 |
| Claim(s)                         | 7  |
| Abstract                         | -  |
| Drawing(s)                       | 2  |

10. If you are also filing any of the following, state how many against each item.

|  |   |
|--|---|
| Priority documents   | - |
| Translations of priority documents   | - |
| Statement of inventorship and right to grant of a patent (Patents Form 7/77) | - |
| Request for preliminary examination and search (Patents Form 9/77)           | - |
| Request for substantive examination (Patents Form 10/77)                     | - |
| Any other documents (please specify)   | - |

11. I/We request the grant of a patent on the basis of this application.

Signature *Page White & Farrer* Date 02.07.1999  
PAGE WHITE & FARRER

12. Name and daytime telephone number of person to contact in the United Kingdom  
KELDA STYLE - 0171 831 7929

**Warning**

*After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.*

**Notes**

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

5

A TERMINAL FOR USE WITH AN INFORMATION NETWORK

## Field of the Invention

10 The present invention relates to a terminal for use with an  
information network. In particular, but not exclusively, the  
terminal is a mobile terminal and the information network is the  
worldwide web or Internet.

## 15 Background to the Invention

In wireless cellular telecommunication networks, the area covered  
by the network is divided into cells. Each cell is provided with  
a base station which is arranged to transmit signals to and  
20 receive signals from mobile stations in the cell associated with  
the respective base station.

The mobile station is able to move within the network and can be  
in any cell of the network. It is also possible for the mobile  
25 station to be used in networks operated by different operators.  
This is because network operators often have roaming agreements  
to permit mobile stations to operate in different networks.

Some mobile stations, particularly when in the form of a portable  
30 computer or used in conjunction therewith are able to access the  
Internet. Accordingly, a browser may be provided either in the  
portable computer or if used in conjunction with a mobile  
telephone, in the telephone itself, which stores bookmarks. These  
bookmarks identify websites which can be accessed via the  
35 Internet. Bookmarks are provided to allow a user easily to access  
websites which the user uses regularly. Some or all of these  
bookmarks may relate to local services. For example, one bookmark  
may allow the user to access a website which includes train time  
table information for the city of London. This is useful if the  
40 user, for example lives in London. However, if the user were to  
go to Paris, the bookmark would still take the user to the

5 website listing the train times for London. This is then of little use to the user when he is in Paris and requires train times for Paris.

### Summary of the Invention

10

It is an aim of embodiments of the present invention to address the problems described hereinbefore.

---

15

According to one aspect of the present invention there is provided a terminal for use with an information network, said terminal comprising a register for storing content information defining the content of one or more sites in said information network to enable automatic location of sites having content corresponding to the content defining information.

---

20

This information can be used to assist in finding other sites corresponding to the content information defining the content of the site.

25

Preferably, the register is arranged to store information on the address of at least one site having the content defined by the content information. The terminal may be arranged to send a request for address information on a site which has a content defined by the content information. The request for the address information may request the address of a site which has the content defined by the content information and which additionally relates to the current location of the terminal. Alternatively, the request for address information may request the address of a site which has the content defined by the content information and which additionally relates to a predetermined location.

30

35

40

The requested address may replace the current address in the register which is associated with the content information. Alternatively, the requested address may be stored in the register along with the home address associated with the same content information. The terminal may be arranged to select one

5 of a plurality of requested addresses which are associated with  
the same content information. The terminal may be arranged to  
store a plurality of requested addresses which are associated  
with the same content information. The terminal may have means  
for permitting the user to select at least one of the stored  
10 addresses.

---

15 The terminal may be arranged to request at least one address of  
at least one site corresponding to content information stored in  
said register in response to the occurrence of at least one  
predetermined event. The at least predetermined event may be one  
or more of the following: change of location area of the  
terminal; the terminal registering with a new network; the  
terminal entering a different country; the terminal entering a  
new geographical location; and the terminal leaving a  
20 geographical location.

The terminal may be arranged to store the address of a server and  
a service provided by the server. Alternatively, the terminal may  
be arranged to store a uniform resource locator.

25 The terminal may be a wireless terminal or may be incorporated  
in a portable computer. The wireless terminal may be a mobile  
station.

30 The information network may be the internet and the terminal may  
have browser capabilities. The content information defining a  
site may be received in content response message headers from the  
site.

35 The terminal may be arranged to obtain information as to its  
position, said information being used to determine if the  
terminal is in an area associated with a given site. If the  
terminal is determined to have left said area, the register may  
be updated. The frequency with which the terminal obtains  
40 information on its position may be dependent on the area  
associated with a given site.

5 The terminal may be arranged to store the content information  
defining a site upon a user storing in the register the address  
of that site. The terminal may be arranged to obtain the content  
information defining a site from a classification service when  
a user stores in said register information on a site selected by  
10 the user.

---

According to a second aspect of the present invention, there is  
provided a register for use with an information network, said  
register storing content information, associated address  
15 information identifying sites which contain the content defined  
by said content information and location information identifying  
the geographic location with which the site defined by said  
address information is associated.

---

20 The information network may be the internet. The address  
information may comprise bookmarks. The register may be arranged  
to receive requests for associated address information. The  
requests may comprise content information and geographic location  
information. Geographic location information may comprise: cell  
25 area; group of cell area; location area; group of location area;  
networks; groups of networks; country; and/or groups of  
countries.

The register may be arranged to output at least one address  
30 information associated with the requested content and geographic  
location information. The register may be arranged to output all  
of the address information associated with the requested content  
and geographic location information. Alternatively, the register  
may be arranged to select one or more of the address information  
35 associated with the requested content and geographic location  
information. The selection may be made at random or in accordance  
with rules for selecting the best match.

According to a third aspect of the present invention, there is  
40 provided a classification service provider, said classification  
service provider being arranged to classify the content of at



5     least one site of an information network to enable automatic location of sites having a desired content.

10     The provider may provide at least one attribute of the content of said at least one site. The content can be classified using a pattern matching algorithm. Alternatively, a store is provided for storing classification information on the content of at least one site.

---

15     The information network may be the internet and the provider may comprise a search engine.

   The classification service can of course be used in combination with the terminal described hereinbefore.

---

20     The classification service provider may be arranged to receive requests from the terminal for classification of the content of at least one site, address information of which is stored in the terminal. The request may be sent when the address information corresponding to said at least one site is first stored in the terminal. The terminal may be arranged to store classification information received from the provider, the classification information comprising the content information.

30     Embodiments of the present invention may comprise a system including a terminal as discussed hereinbefore, a classification service provider as discussed hereinbefore and/or a register as discussed hereinbefore.

35     Each site may be arranged to store content information, said terminal being arranged to obtain content information associated with the address and to store said content information in the register thereof.

40     According to a further aspect of the present invention, there is provided a device comprising: means for receiving information defining a first location in an information network, a

- 5 classification service provider as described hereinbefore for classifying the content of the location; and means for identifying a new location in the information network having the same type of content as the first location.
- 10 According to a further aspect of the present invention, there is ~~provided a device comprising means for receiving information~~ defining a desired content of at least one location in an information network; means for receiving information on the position of a requester; and means for determining a location in
- 15 said network having said desired content which is relevant to the position of the requester.
- 

#### Brief Description of the Drawings

- 20 For a better understanding of the present invention and as to how the same may be carried into effect, reference will now be made by way of example to the accompanying drawings in which:-
- Figure 1 shows a schematic diagram of a cellular
- 25 telecommunications network;
- Figure 2 shows a mobile station embodying the present invention;
- Figure 3 shows a schematic view of the mobile station of Figure 2 used in conjunction with an information network; and
- Figure 4 shows schematically the elements of the cellular
- 30 telecommunications network which allow access to the Internet.

#### Detailed Description of Embodiments of the Invention

- Reference will first be made to Figure 1 in which three cells 2
- 35 of a cellular telecommunications network are shown. Each cell 2 is served by a respective base transceiver station 4. Each base transceiver station 4 is arranged to transmit signals to and receive signals from the mobile stations 6 located in the cell associated with the given base transceiver station. Likewise,
- 40 each mobile station 6 is able to transmit signals to and receive signals from the respective base transceiver station 4.

5 The cellular telecommunications network shown in Figure 1 can use  
any suitable access technique. For example, the  
telecommunications network shown in Figure 1 may be in accordance  
with the GSM standard (Global System for Mobile Communications)  
or may be in accordance with the proposed UMTS standard  
10 (Universal Mobile Telecommunication Services). Alternatively, the  
network shown in relation to Figure 1 can be used in relation to  
any other standard.

---

15 Reference is now made to Figure 2 which shows a mobile station  
6 embodying the present invention. The mobile station 6 is a  
browser capable phone or a wireless application phone which can  
access the Internet. Alternatively, the browser elements shown  
in the mobile telephone of Figure 2 can be incorporated in a  
portable computer which has an appropriate interface. The  
20 portable computer may be connected to a mobile station for  
wireless telecommunications. Alternatively, the computer may have  
wireless capabilities. The mobile station or the portable  
computer or both will be aware of network related events.

---

25 The mobile station 6 has a browser 10 which is arranged to store  
bookmarks 12. These bookmarks 12 comprise uniform resource  
locators URL and are usually independent of the server used by  
the user. The URL defines the address of a given website which  
the user wishes to regularly use. As an alternative to Internet  
30 uniform resource locators, the bookmarks may be arbitrary service  
addresses specifying a server and a service within that server.  
In this latter case, the bookmarks need not conform to the  
Internet URL format. In some arrangements the bookmark storage  
in association with the browser may be stored remotely to a  
35 server within said information network.

Associated with at least some of the bookmarks are a set of  
attributes 14. These attributes 14 define the content of the  
address defined by the uniform resource locator, that is the  
40 bookmark. For example, if the bookmark 12 defines a website which  
includes train time table information for London, the attribute

5 associated with the bookmark will identify the fact that it is train time table information. The attributes 14 may be stored together with the bookmark 12 or separately. In the latter case, there may be some association information to associate the attributes with the respective bookmarks.

10 The browser has several elements and is able to understand hypertext code which is received from the server. The browser is also able to execute JAVA or similar languages. The browser is able to receive from the server executable content such as JAVA.  
15 The executable content may be in the form of code that is executed in a virtual machine or may be native machine code. The browser may be provided with application programming interfaces  
which allow the executable content to access functionalities within the mobile station 6 or computer.

20 Reference will now be made to Figure 3. In Figure 3, the mobile station 6 is shown as being connected to a worldwide webserver 16 via the Internet 15. How this may be achieved will be described in more detail. The server 16 provides a number of  
25 websites. For at least some of these websites, attribute information will be stored. This attribute information is stored at the website. The attributes may be associated with the respective bookmarks. These attributes may alternatively be stored in a separate register away from the website itself, for  
30 example in a central register. However, in preferred embodiments of the present invention, the attributes are stored at the website associated with the given bookmark.

35 In an embodiment of the invention, the attributes are received from the website in content response message headers, for example HTTP-response message headers in the case of HTTP protocol (Hypertext transfer protocol).

40 The type of the website or the type of the uniform resource locators to be stored as bookmarks may be classified using a classification service. In one embodiment of the invention, the

5 classification service is contacted whenever the user records a  
new bookmark in the bookmark list in association with the  
browser. In the alternative, the classification service may be  
10 contacted in response to a user request or automatically when a  
URL is selected when the user is attempting to access a given web  
site. The classification service provides one or more attributes  
describing the type of the uniform resource locator. These  
attributes are then associated with the bookmark for the uniform  
resource locator. The classification service is provided in  
association with the uniform resource locator and checks the  
15 content of the location associated with that URL. The  
classification service may be provided in the mobile station,  
with the register as a separate node in the network or at any  
other suitable location.

---

20 In one embodiment of the invention, the content may be classified  
using a pattern matching algorithm which counts the occurrences  
of words and/or data tokens to determine the type of the service.  
The classification process may also involve the use of neural  
algorithms to analyse picture or moving picture content. The  
25 classification algorithm may be taught using trial material to  
recognise different, frequently occurring service types. In an  
alternative embodiment of the invention, the classification  
service simply stores a URL or for a part of a URL the  
descriptive attributes. The attributes associated with the URL  
30 may have been entered manually for a given set of commonly used  
URLs. In another embodiment of the invention, the classification  
service may comprise an Internet search engine, which browses the  
internet for the occurrence of keywords or tokens matching one  
or more attributes. The URLs containing these keywords or tokens  
35 may then be analysed more closely to provide a more reliable  
classification. As a result of the browsing done by the search  
engine, the URL attribute classification can be provided for a  
set of URLs. The classification may be associated with only a  
part of the URL e.g. the part identifying the server.

40 In response to a URL classification request, the classification

5 service returns the attributes associated with the URL. The classification service may be located either in the user terminal or on a separate server node or in association with the register.

10 When a user first defines a bookmark and then accesses the associated website, the attributes associated with the site are sent to the mobile station which then stores those attributes in association with the respective bookmark 12. The attribute information may be obtained automatically in response to the user accessing the website or may be accessed in response to a  
15 specific request. The specific request may be issued during the course of bookmark recording.

---

20 These attributes include information as to the content of the website. In preferred embodiments of the present invention, predefined categories are provided for classifying the content of the websites. Information on the location relevant to the website may be provided either as part of the attribute information or separate therefrom.

25 Information on the location of a mobile station is available in most if not all of the current standards. Firstly, it will be known in which network a mobile station is located, i.e. whether it is in a home network or in a visiting network. Additionally, the mobile station will also know where it is within the network.  
30 This information may just be the cell in which the mobile station is located or may be more detailed information. The geographic position of the mobile station may also be known. When the mobile station has moved, the network automatically notes that the mobile station has moved. In, for example the United States, it  
35 is a legal requirement that the location of the mobile station be known for emergency purposes. Information on the location of mobile stations is used for network management.

40 As shown in Figure 3, a bookmark service register 20 is provided. This register stores for each set of attributes, at least some of the bookmarks of websites which have these attributes along

5 with location information indicating the location to which the  
respective website relates. This location information may be part  
of the attribute information or separate therefrom. This register  
may be part of the cellular telecommunications network of the  
mobile station or may be part of the Internet. In an alternative  
10 embodiment of the invention, a bookmark service register is  
provided for each given geographic area so that the website  
related location information is not necessarily stored in the  
bookmark service register. The address of the bookmark service  
associated with the geographic area may be provided for example  
15 in cell or network information broadcasts or messages issued from  
the network in response to location updating or registration.

---

When the location of the mobile station 6 incorporating the  
browser 10 changes, the browser 10 automatically sends an update  
20 request to the bookmark service requesting updated bookmarks.  
Alternatively, the user may send a request when the user has  
moved or requires new local information. The request will include  
or will be followed by the attributes 14 of the bookmarks 12  
which have been stored in the browser 10. The bookmark service  
25 20 receives the request for an update and the attributes. The  
bookmark service will also receive information as to the current  
location of the mobile station from the network to which the  
mobile station is currently attached.

30 In an alternative embodiment of the invention, the bookmark  
service is provided with just the bookmarks. In this embodiment,  
the bookmark service will perform the classification of the URLs  
to provide matching with local alternatives.

35 In a further embodiment of the present invention, the bookmark  
service is just provided with sets of attributes and provides  
local bookmarks corresponding to these attributes.

40 In addition to providing bookmarks to requesting terminals, the  
bookmark service also performs a periodic checking of the  
bookmarks stored in it. If the URLs in the bookmarks are detected

5 as being unreachable in a given number of periodic checks, they are removed from the bookmark service register or they get a lower match rating.

10 The bookmark service 20 will find the set of bookmarks which have the attribute information received from the mobile station. From this set of bookmarks, the bookmarks having the location information matching the location information received from the network are selected. This may consist of one or more bookmarks. One of the bookmarks may be selected. Alternatively two or more  
15 or even all of the bookmarks are selected from the set. These selected bookmarks will define the websites which correspond to the current location of the mobile station.

---

20 If the attributes of the bookmark stored in the mobile station relate to train times, the bookmark service 20 will use that attribute information and the location of the mobile station in order to ascertain what the new bookmark should be. For example, if the mobile station is now in Paris, the bookmark service will select the bookmark for the website relating to Paris train  
25 times.

30 The bookmark service 20 will send the selected new bookmark(s) for the current location of the mobile station back to the mobile station.

35 The new bookmark(s) received from the bookmark service may replace the existing bookmark or may be stored as an additional bookmark associated with the old bookmark and/or the attribute information. The latter arrangement has the advantage that when the mobile station returns to its original location, the need to update the bookmarks can be avoided. In the arrangements where the bookmark storage in association with the browser is located remotely on a server, the update request to the bookmark service may be relayed via the bookmark storage server. The bookmark  
40 storage should not be confused with the bookmark service providing information on other equivalent sites, the bookmark



5 storage is just a remotely stored browsers bookmark list. The bookmark storage is as described hereinbefore preferably located in the mobile station but can be provided elsewhere.

10 As mentioned hereinbefore it may be possible that there is more than one bookmark which satisfies the required attribute and location information. In this case, the best match may be selected by the bookmark service and forwarded to the browser of the mobile station. Alternatively, the bookmark may be selected at random from the available bookmarks which satisfy the required  
15 criteria. The browser may be arranged to receive all of the available bookmarks and the user may be able to select the required bookmark.

---

20 The location information may be passed to the bookmark service 20 by the mobile station or may be provided by a control element.

The different bookmarks may be arranged into sets such as country, city and network changes. For example, with country bookmarks, a new bookmark would be sought if the mobile station  
25 changed country. Likewise, with city specific bookmarks, the bookmarks could only be updated when the mobile station entered a new city. The sets may even be quite localised for use with for example local bus times and cover the area of a few cells. The sets may even include one which is based on the actual location  
30 of the mobile station where the bookmark(s) are updated each time the mobile station moves and accesses the worldwide web. This, for example, could be used to provide timetable information associated with a specific bus stop. The bookmarks in a given set may be updated at the same time or at different times.

35 In one embodiment of the invention, one or more trigger areas may be provided in association with one or more bookmarks. When a location dependent bookmark is provided from the bookmark service register, the bookmark service register may provide one or more  
40 trigger areas associated with that bookmark. Where such trigger areas are provided, the position of the mobile station is checked

5 periodically to see it has left one trigger area and/or entered  
another trigger area. The periodic checking of the mobile station  
position may involve geographic positioning procedures. The  
trigger areas may also define how often the position of the  
mobile station is checked. The frequency of checking may be  
10 deduced automatically by the mobile based on the size of the  
trigger area. The trigger areas may be geographic areas defined  
by co-ordinates, individual cells, cell groups, location areas,  
location area groups, networks or groups of networks, a country,  
set of countries etc.

15 Whenever the user moves outside a given trigger area, the  
bookmarks corresponding to the trigger area are sent to the  
bookmark service register for updating. Alternatively, the  
bookmarks may be treated in the browser as old and are indicated  
20 as such to the user.

Reference is now made to Figure 4 which shows how a connection  
is established between a mobile station 6 and a website 16. The  
mobile station is connected to a base station subsystem 8 which  
25 includes a base station. The base station subsystem 8 is in turn  
connected to a serving GPRS support node SGSN 24 which in turn  
is connected to a gateway GPRS support node 26. The gateway GPRS  
support node GGSN 26 is coupled to the Internet 28, via which a  
connection can be established with a given worldwide website 16  
30 and the bookmark service 20. The arrangement shown in Figure 4  
is in the context of a GPRS (General Packet Radio Service)  
standard. The mobile station 6 has an air interface link with the  
base station subsystem 22. The base station subsystem 22 forwards  
data to and from the mobile station 6. The serving GPRS support  
35 node keeps track of the mobile stations location and performs  
security functions and access control. The gateway GPRS support  
node 28 acts as a gateway between the GPRS network and the  
Internet 20.

40 In a modification to the embodiment described hereinbefore, the  
browser may only store attribute information, without any

5     bookmarks. In this modification, every time a user selects a given set of attribute information, the relevant bookmark(s) are obtained from the bookmark service.

10     The embodiment described hereinbefore has described the connection of a mobile station to a website accessible via the Internet. However, it should be appreciated that embodiments of the present invention can be used with any other suitable information network.

---

15     The position of the mobile station can be determined using any appropriate method, for example offset time difference, satellite positioning etc.

---

20     Embodiments of the present invention have been described in the context of a mobile station or portable computer. However, it should be appreciated that the embodiments of the invention may be used with fixed terminals which may be wired or wireless. For example, if a set of attributes was prestored in the terminal equipment when it is sold, the correct websites associated with the stored attributes for the location of the fixed terminal  
25     could be obtained without difficulty.

30     In one modification to the described embodiment of the invention, the user may be able to input a desired location and obtain information on the websites associated with that location. This desired location may be the same or different to the current location of mobile station. For example if the user intends to visit a given location, he can obtain information on that location in advance.

35     It should be appreciated that embodiments of the present invention can be used with any suitable wireless telecommunications system including spread spectrum systems such as code division multiple access, time division multiple access  
40     and frequency division multiple access or hybrids thereof.

## 5 CLAIMS:

1. A terminal for use with an information network, said terminal comprising a register for storing content information  
10 defining the content of one or more sites in said information network to enable automatic location of sites having content corresponding to the content defining information.
- 
2. A terminal as claimed in claim 1, wherein said register is  
15 arranged to store information on the address of at least one site having the content defined by said content information.
- 
3. A terminal as claimed in claim 1 or 2, wherein said terminal  
20 is arranged to send a request for address information on a site which has the content defined by said content information.
4. A terminal as claimed in claim 3, wherein said request for address information requests the address of a site which has the content defined by the content information and which additionally  
25 relates to the current location of the terminal.
5. A terminal as claimed in claim 3, wherein said request for address information requests the address of a site which has the content defined by the content information and which additionally  
30 relates to a predetermined location.
6. A terminal as claimed in claim 4 or 5 when appended to claim 2, wherein said the requested address replaces the current address in the register which is associated with the content  
35 information.
7. A terminal as claimed in claim 4 or 5 when appended to claim 2, wherein said requested address is stored in the register along with a home address associated with the same content information.  
40
8. A terminal as claimed in any of claims 4 to 7, wherein said

5 terminal is arranged to select one of a plurality of requested addresses which are associated with the same content information.

9. A terminal as claimed in any one of claims 4 to 7, wherein said terminal is arranged to store a plurality of requested  
10 addresses which are associated with the same content information.

---

10. A terminal as claimed in claim 9, wherein said terminal has means for permitting the user to select at least one of said stored addresses.

15 11. A terminal as claimed in any one of the preceding claims, wherein said terminal is arranged to request at least one address  
~~of at least one site corresponding to content information~~  
provided by the terminal in response to occurrence of at least  
20 one predetermined event.

12. A terminal as claimed in claim 11, wherein said at least one predetermined event comprises one or more of the following:  
change of location area of the terminal; the terminal  
25 registering with a new network; the terminal entering a different country; the terminal entering a new geographical location; and the terminal leaving a geographical location.

13. A terminal as claimed in claim 11 or 12 wherein said  
30 addresses associated with the geographic area are provided in cell or network information broadcasts.

14. A terminal as claimed in any preceding claim, wherein the terminal is arranged to store the address of a server and a  
35 service provided by said server.

15. A terminal as claimed in claim 2 or any of claims 3 to 12 when appended thereto, wherein said address is in accordance with the uniform resource locator format.

40 16. A terminal as claimed in any preceding claim, wherein said

5 terminal is a wireless terminal.

17. A terminal as claimed in any preceding claim, wherein said terminal is incorporated in a portable computer.

10 18. A terminal as claimed in any of claims 1 to 16, wherein said terminal is a mobile station.

---

15 19. A terminal as claimed in any preceding claim, wherein said information network is the Internet and said terminal has browser capabilities.

20 20. A terminal as claimed in claim 19, wherein said content information defining a site is received in content response message headers from the site.

21. A terminal as claimed in claim 19 or 20 wherein said register provides bookmark storage in association with the browser.

25 22. A terminal as claimed in claim 3 or any claim appended thereto, wherein said terminal is arranged to obtain information as to its position, said information being used to determine if the terminal is in an area associated with a given site.

30 23. A terminal as claimed in claim 22, wherein said if said terminal is determined to have left said area, the register is updated.

35 24. A terminal as claimed in claim 22 or 23, wherein the frequency with which the terminal obtains information on its position is dependent on the area associated with a given site.

40 25. A terminal as claimed in claim 2 or any claim appended thereto, wherein said terminal is arranged to store the said content information defining a site when a user stores in said register the address of that site.

5 26. A terminal as claimed in any of the previous claims, wherein said terminal is arranged to obtain the said content information defining a site from a classification service when a user stores in said register information on a site selected by the user.

10 27. A register for use with an information network, said register storing content information, associated address  
information identifying sites which contain the content defined  
by said content information and location information identifying  
the geographic location with which the site defined by said  
15 address information is associated.

28. A register as claimed in claim 27, wherein said information  
network is the Internet.

20 29. A register as claimed in claim 27 or 28, wherein said address information comprises bookmarks.

30. A register as claimed in claim 27, 28 or 29, wherein said  
register is arranged to receive requests for associated address  
25 information.

31. A register as claimed in claim 30, wherein said requests  
comprise content information and geographic location information.

30 32. A register as claimed in claim 31, wherein said geographic location information comprises:  
cell area; group of cells area; location area; group of location  
area; networks; groups of networks; country; and/or groups of  
countries.

35 33. A register as claimed in claim 30, 31 or 32, wherein said register is arranged to output at least one address information associated with the requested content and geographic location information.

40 34. A register as claimed in claim 33, wherein said register is

5 arranged to output all of the address information associated with the requested content and geographic location information.

10 35. A register as claimed in claim 33, wherein said register is arranged to select one or more of the address information associated with the requested content and geographic location information.

---

15 36. A register as claimed in claim 35, wherein the selection is made at random.

37. A register as claimed in claim 36, wherein said selection is made in accordance with rules for selecting the best match.

---

20 38. A classification service provider, said classification service provider being arranged to classify the content of at least one site of an information network to enable automatic location of sites having a desired content.

25 39. A provider as claimed in claim 38, wherein said provider provides at least one attribute of the content of said at least one site.

30 40. A provider as claimed in claim 38 or 39, wherein said content is classified using a pattern matching algorithm.

41. A provider as claimed in claim 38 or 39, wherein a store is provided for storing classification information on the content of at least one site.

35 42. A provider as claimed in claim 38 or 39, wherein said information network is the Internet and the provider comprises a search engine.

40 43. A terminal in combination with a classification service provider as claimed in any of claims 38 to 42.



5     44. A combination as claimed in claim 43, wherein said classification service provider is arranged to receive requests from the terminal for classification of the content of at least one site, address information of which is stored in the terminal.

10    45. A combination as claimed in claim 44, wherein said requests are sent when said address information corresponding to said at least one site is first stored in said terminal.

---

15    46. A combination as claimed in claim 44 or 45, wherein said terminal is arranged to store classification information received from said provider, said classification information comprising said content information.

---

20    47. A system comprising a terminal as claimed in any one of claims 1 to 24 and/or a register as claimed in any one of claims 27 to 37.

25    48. A system as claimed in claim 47, wherein each site is arranged to store said content information, said terminal being arranged to obtain content information associated with an address and to store said content information in the register thereof.

30    49. A device comprising;  
means for receiving information defining a first location in an information network;  
a provider as claimed in any of claims 38 to 42 for classifying the content of said location; and  
means for identifying a new location in said information network having the same type of content as said first location.

35    50. A device comprising:  
means for receiving information defining a desired content of at least one location in an information network;  
means for receiving information on the position of a requester;  
40    and  
means for determining a location in said network having said

5 desired content which is relevant to the position of the requester.

51. A method comprising the steps of:

10 receiving information defining a first location in an information network;

classifying the content of the first location;

---

~~identifying at least one other location having the same~~  
content as the first location.

15 52. A method of comprising the steps of:

providing content information relating to at least one location on an information network receiving geographic location information; and

---

20 obtaining address information of at least one site having the content defined by the content information related to said geographic position information.




FIGURE 1




FIGURE 2

Page Blank (uspto)

FIGURE 3





FIGURE 4

---

Page Blank (uspto)

---

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**This Page Blank (uspic,**